

# fire and safety catalog

by Turtle Plastics®



All dura crib™ products feature Working Load Limit tag and lanyard safety colors to meet your environmental, health and safety goals.



**dura crib**  **dura stat.**  
Re:engineered Plastic Cribbing, Blocking & Stabilization Tools



**TURTLE PLASTICS®**  
THE RECYCLED PRODUCTS COMPANY

# Safety First



Turtle Plastics is proudly used by Extrication Trainers and Specialists across the globe. Every year, we support various extrication training events, competitions and fire academies. Our extensive line of dura crib™ and dura stat™ Stabilization Tools provides multi-use applications ranging from single vehicle stabilization to urban search and rescue operations. Experienced instructors recognize the benefits of using our dura crib and dura stat tools and have been an integral component in our product research and development over the years. The feedback provided by professionals in the field using our products has helped us bring to you a premium product designed with your safety in mind. We welcome your comments and suggestions as well. Please contact us at [fireinfo@turtleplastics.com](mailto:fireinfo@turtleplastics.com) to share your thoughts.



In remembrance of Big Rescue Instructor Billy Leach, The Turtle Plastics Foundation announces The Billy Leach Fire Training and Equipment Grants Fund. The Turtle Plastics Foundation, a not-for-profit organization, will be offering grants to qualified 501(c)(3) rural volunteer fire departments with very limited funding to help with training and equipment.

The Turtle Plastics Foundation was formed on June 22, 2017 in order to establish a broad-based nonprofit organization whose mission is to advocate, create, support and promote educational, environmental, health and safety initiatives worldwide in addition to continuing Tom and Karen's work in Haiti establishing a 2400 student school and a hospital. It will accomplish this mission through grants, donations, public awareness events and other marketing efforts. The Foundation plans to make distributions to Internal Revenue Code Section 501(c)(3) organizations. The focus of the Foundation will be the support of worth non-profit causes related to the improvement of public health, education, safety and the global environment.

# table of contents

- Three Environmental, Health & Safety Principles..... 2
- Turtle Plastics Cribbing Essentials..... 3
- Visual Alert System for Workplace Safety Products..... 4
- Choosing the Right Tool for Repairs or Storage..... 5
- Kits..... 6**
  - Stabilization Tool Kits for First Responders..... 7
  - Auto X Tool Kits..... 8, 9
  - Urban Search and Rescue Kits..... 10, 11
  - Protection Pad Kits..... 12
  - COG Step Chock Combo Kits..... 13
  - Crib Toter Kit..... 14
- dura crib™ Product Line..... 15**
  - Step Chocks..... 16
  - The Slab™ and The Half Slab™..... 17
  - Black Diamond Crib™ and Profile Crib™..... 18
  - Prime Crib™..... 19
  - Super Crib and Hybrid Crib™..... 20
  - Turtle Lock Block..... 21
- dura stat™ Product Line..... 22**
  - Hose Bridge™ and Accessories..... 23-25
  - Rizer Systems..... 26, 27
  - dura stat Engineered Blocking..... 28
  - Turtle Trax..... 29
- Specialty Products..... 30**
  - The Turtle Tube™..... 31
  - Protection Pads..... 32, 33
  - Wedges..... 34
  - Wheel Chocks..... 35
  - Fleet Maintenance Bay Service Kit..... 36
  - Towing Accessories..... 37
- Turtle Tiles™..... 38**
  - Modular Tiles..... 39
  - Compartment Matting..... 40, 41
  - In-Station Matting..... 42
  - Superior Coatings..... 43
  - Dura Crib Working Load Limit Specifications..... 44
  - Turtle Plastics Limited Warranty..... 45



Thirty eight years ago, Tom Norton, founder of Turtle Plastics, was given a banner for his office with a caption that read, “The Turtle only makes progress when it sticks its neck out.” The giver thought Tom spent a lot of time sticking his neck out in various business enterprises. When it came time to name the new company, “Turtle” seemed appropriate because of Tom’s willingness to stick his neck out to create products from recycled plastic to focus on environmental health and safety concerns.

Today, we remain committed to our customers’ environmental, health and safety challenges with innovative and sustainable re-engineered plastic products, while creating a spirit of peace, love and caring for the environment, our employees and our community.

Visit us at [www.turtleplastics.com](http://www.turtleplastics.com)



# EHS Environmental | Health | Safety



Our products are made in the U.S.A. from recycled post industrial PVC, PET, LDPE and HDPE plastic. To complete the full sustainability component of recycling, we offer an end of product life take back program. This reduces landfill waste while increasing our customers return on investment.



Workforce health and welfare are at our forefront in product design. All of our products are washable, impervious to most common industrial chemicals and resistant to splintering. Ergonomic design is provided to deliver maximum worker comfort while using our products.



Our products are engineered with a repeatable and reliable formula providing superior performance which has been tested under lab conditions to ensure worker safety. We strive to create safety solutions for our customers through continuous product innovation.

## Turtle Plastics Environmental Practices

-  Our products are made in the U.S.A. from **100% recycled** post industrial PVC, PET, LDPE and HDPE plastics.
-  As a company, we are centered on **environmental sustainability** at all levels throughout our company from our internal leadership to our value chain.
-  Turtle Plastics products support Corporate Social Responsibility initiatives while **increasing** our customers' return on investment.
-  Turtle Plastics partners with all customers with a **take back program** for our products—reducing disposal and landfill costs and supports zero waste policies.
-  We **do not use wood** in any of our products. Our cribbing products are a solution to the historical use of wood in many industries including manufacturing, agriculture, fire/rescue, transportation, mining and heavy equipment.
-  Recycling is part of an **ethic of resource efficiency**—of using products to their fullest potential. When a recycled material, rather than a raw material, is used to make a new product, natural resources and energy are conserved.
-  The results of using **recycled plastic** include cleaner air and water, less pollution, more forested land and open space, and reduced greenhouse gas emissions.



# Why Turtle Plastics' stabilizing tools are essential for vehicle and equipment stabilization.

Many types of materials are commonly stacked into a "cribbing" configuration and used in equipment repair, and often the crib stack is used in conjunction with other stabilization equipment, such as pneumatic or hydraulic shoring. Expressions such as "lift an inch, crib an inch" and "pack as you jack" are used to remind operators of the importance of cribbing to safely secure and protect the equipment and technician.

Historically wood has been used for cribbing or material storage. We know wood cribbing is not tested. Wood absorbs liquids and pathogens leading to a dangerous work environment.

Turtle Plastics' line of dura crib and dura stat are a safer and eco-friendly solution to crib or block in many industries including agriculture, automotive, construction, mining, rail and transportation.



**"OLD" WAY  
DANGEROUS**

**"NEW" TOOLS**  
Prime Crib  
Part #67PC-24  
(6"x7"x24")  
12 pieces



**UNSAFE REPAIR ENVIRONMENT USING WOOD CRIBBING**



**SAFELY STABILIZED CRIB STACKS USING DURA CRIB BRAND**

## Dura Crib - OSHA Safety Compliance

*"When used correctly, dura crib brand of products can create a compliant and safer work environment by providing technicians who repair equipment with a proper 'lock out tag out' of stored energy. This type of hazardous energy is created when hoisted or jacked equipment is not given a secured platform. Wood cribbing does not interlock, is not tested and is subject to unseen degradation via environmental factors or absorption of fluids. All these factors create an unsafe and unpredictable work surface that cannot contain stored energy... Under 29 CFR 1910.147 LOTO, for stored energy not being controlled and 'locked-out' can also be used as the basis of a citation." —Angelique Bracer, COHC, SHS*



# Visual Labeling Can Save Your Life

Turtle Plastics is leading the way in workplace safety by labeling our composite dura crib brand tools to identify Working Load Limit with color coded lanyards and safety identification tags. No more guessing on the strength of a crib block. In fact, we reference our dura crib brand products as tools because of their strength and reliability in getting a job done. Our dura crib tools are independently lab tested.

Working Load Limit

Pounds Per Square Inch

Turtle Plastics Product Name

Website Link for Safety Data Sheet

**WLL: 110,000 kg@25° C**  
**WLL: 242,508 lbs@77° F**  
**PSI: 865**

**PRODUCT NAME: THE SLAB™**

**TECHNICAL DATA:** <http://turtleplastics.com/technical-data-request/>  
**DANGER: NO POINT SOURCE LOADING OR ALTERING OF PRODUCT**  
**Made in the U.S.A.**

**TURTLE PLASTICS**  
 THE RECYCLED PLASTICS COMPANY  
 1-800-756-6635



What kind of labeling does your wood have?

Choose the right Turtle Plastics tool for extrication, repairs or storage.

## dura crib dura stat.

Re:engineered Plastic Cribbing, Blocking & Stabilization Tools


### Extrication Stabilization



#### dura crib (Multiple Layer Application)

Engineered interlocking composite plastic cribbing has raised pyramid and blocking profiles designed for multiple layer applications. Offered in a variety of Working Load Limits and sizes.

#### ACTIVE LOAD



Use **dura crib** tools for **multiple layers** during repairs.


### Storage



#### dura stat (Material Storage Only)

Engineered smooth surface composite block designed for material storage only. Sizes range from a 2"x2" profile up to a 6"x8" profile. Lengths up to 12'.

#### STATIC LOAD



Use **dura stat** tools for **material storage only**.

Turtle Plastics **dura crib** interlocking cribbing is recommended for any stabilization above a single layer. Always refer to your training resources for stabilization specifications. Use Turtle Plastics **dura stat** for material storage only.



Always avoid point source load with **dura crib** and **dura stat**.

**DO NOT MIX DURA CRIB AND DURA STAT CRIBBING TOGETHER OR WITH WOOD ANYTIME.**

# Kits



ALL TURTLE PLASTICS' PRODUCTS  
**MADE IN USA** ★

*Blackheart Extrication Team  
Miami Dade Fire Department*

# Stabilization Tool Kits for First Responders

## stabilization tool kits for first responders

Now featuring kits for the unsung **FIRST** responders, such as ambulance, sheriff, state highway patrol, local police, and citizen emergency response teams.

Compact QR-2 Kit carrying bag is only 25" x 15" x 6"



Part # QR-2 Kit

## quick response tool kits

Part #	Product Name	Included Components	Total Kit Wgt
QR-2 Kit	Quick Response Tool Kit	(2) SC-1 Standard Step Chock (2) 3W Stepped Wedge (1) 1B Turtle Lock Block (1) 2B Turtle Lock Block (1) WC-2 Double Wheel Chock (1) Carrying Bag 25" x 15" x 6"	19.0 kg./42 lbs.



Part # B.A.S.K. 1

## B.A.S.K. 1 (Basic Auto Stabilization Kit)

Part #	Product Name	Included Components	Total Kit Wgt
B.A.S.K. 1	Basic Auto Stabilization Kit	(4) 44PL-18 Hybrid Crib (4) 4/4-20 Wedge (1) WC-2 Double Wheel Chock (1) Carrying Bag 24" x 17" x 6"	24.9 kg./55 lbs.

## B.A.S.K. 2 (Basic Auto Stabilization Kit)

Part #	Product Name	Included Components	Total Kit Wgt
B.A.S.K. 2	Basic Auto Stabilization Kit	(4) SC-1 Standard Step Chock (4) 4/4-20 Wedge (1) WC-2 Double Wheel Chock (2) Carrying Bag 24" x 17" x 6"	41.2 kg./91 lbs.

# Auto X Tool Kits *New!*

Turtle Plastics has upgraded our Crib Tool Kits to include our newest and most innovative products. We've renamed our old Crib Tool Kits to Auto X Tool Kits. These kits contain additional FREE Mod Pad cribbing top/bottom plate(s) as the bonus item(s):

## Auto X Tool Kit A

Part #	Included Components	Total Kit Wgt
Auto X Tool Kit A	(6) 24-18 Pyramid Crib (2) 2/4-12 Wedge (9) 44PL-18 Hybrid Crib (2) 4/4-20 Wedge (1) 3W Wedge (1) 6W Wedge (1) 1B Turtle Lock Block (1) 2B Turtle Lock Block (1) 3B Turtle Lock Block (2) SC-1 Standard Step Chock (1) WC-2 Double Wheel Chock (1) CTP1818-1.5 Mod Pad (1) TBP Top Bag Pad (1) CB Carrying Bag (optional) (1) CT Crib Toter (optional)	116.5 kg./ 257 lbs.

### Your FREE Bonus Includes:

Qty	Part #	Description
1	CTP2424-2	Mod Pad

## Auto X Tool Kit B

Part #	Included Components	Total Kit Wgt
Auto X Tool Kit B	(12) 24-18 Pyramid Crib (4) 2/4-12 Wedge (18) 44PL-18 Hybrid Crib (4) 4/4-20 Wedge (3) 67SC-24 Super Crib (2) 6/7-24 Super Wedge (2) 3W Wedge (2) 6W Wedge (2) 1B Turtle Lock Block (2) 2B Turtle Lock Block (2) 3B Turtle Lock Block (2) SC-1 Standard Step Chock (2) WC-2 Double Wheel Chock (1) CTP1818-1.5 Mod Pad (2) TBP Top Bag Pad (2) CB Carrying Bag (optional) (2) CT Crib Toter (optional)	232.9 kg./ 513.5 lbs.

### Your FREE Bonus Includes:

Qty	Part #	Description
1	CTP2424-2	Mod Pad
1	CTP1818-1.5	Mod Pad


## Auto X Tool Kit C

Part #	Included Components	Total Kit Wgt
Auto X Tool Kit C	(24) 24-18 Pyramid Crib (8) 2/4-12 Wedge (36) 44PL-18 Hybrid Crib (12) 4/4-20 Wedge (9) 67SC-24 Super Crib (4) 6/7-24 Super Wedge (4) 3W Wedge (4) 6W Wedge (3) 1B Turtle Lock Block (3) 2B Turtle Lock Block (3) 3B Turtle Lock Block (4) SC-1 Standard Step Chock (2) SC-2 Medium Step Chock (4) WC-2 Double Wheel Chock (3) CTP1818-1.5 Mod Pad (2) 67HDC10 Little Black Diamond Crib (2) S612-12 The Half Slab (2) SC-COG-1 COG Step Chock (2) TBP Top Bag Pad (4) CB Carrying Bag (optional) (4) CT Crib Toter (optional)	550.8 kg./ 1,214.5 lbs.

### Your FREE Bonus Includes:

Qty	Part #	Description
2	CTP2424-2	Mod Pad
1	CTP1818-1.5	Mod Pad

Auto X Tool Kit A



# Auto X Tool Kits *New!*

Appropriate for heavy rescue and multi-car extrication.

## Auto X Tool Kit D

Part #	Included Components	Total Kit Wgt
Auto X Tool Kit D	(24) 24-18 Pyramid Crib (8) 2/4-12 Wedge (36) 44PL-18 Hybrid Crib (12) 4/4-20 Wedge (12) 67SC-24 Super Crib (4) 6/7-24 Super Wedge (4) 3W Wedge (4) 6W Wedge (3) 1B Turtle Lock Block (3) 2B Turtle Lock Block (3) 3B Turtle Lock Block (4) SC-1 Standard Step Chock (2) SC-2 Medium Step Chock (4) WC-2 Double Wheel Chock (3) CTP1818-1.5 Mod Pad (4) 67HDC10 Little Black Diamond Crib (4) S612-12 The Half Slab (2) SC-COG-1 COG Step Chock (2) TBP Top Bag Pad (4) CB Carrying Bag (optional) (4) CT Crib Toter (optional)	620.7 kg./ 1,368.5 lbs.

## Auto X Tool Kit E

Part #	Included Components	Total Kit Wgt
Auto X Tool Kit E	(48) 24-18 Pyramid Crib (16) 2/4-12 Wedge (81) 44PL-18 Hybrid Crib (20) 4/4-20 Wedge (18) 67SC-24 Super Crib (6) 6/7-24 Super Wedge (6) 3W Wedge (6) 6W Wedge (4) 1B Turtle Lock Block (4) 2B Turtle Lock Block (4) 3B Turtle Lock Block (8) SC-1 Standard Step Chock (4) SC-2 Medium Step Chock (4) WC-2 Double Wheel Chock (6) CTP1818-1.5 Mod Pad (4) 67HDC10 Little Black Diamond Crib (6) S612-12 The Half Slab (4) SC-COG-1 COG Step Chock (2) TBP Top Bag Pad (5) CB Carrying Bag (optional) (10) CT Crib Toter (optional)	1,050 kg./ 2,315 lbs.

## Auto X Tool Kit F

Part #	Included Components	Total Kit Wgt
Auto X Tool Kit F	(48) 24-18 Pyramid Crib (16) 2/4-12 Wedge (81) 44PL-18 Hybrid Crib (20) 4/4-20 Wedge (24) 67SC-24 Super Crib (8) 6/7-24 Super Wedge (6) 3W Wedge (6) 6W Wedge (4) 1B Turtle Lock Block (4) 2B Turtle Lock Block (4) 3B Turtle Lock Block (8) SC-1 Standard Step Chock (4) SC-2 Medium Step Chock (2) SC-3 Giant Step Chock (4) WC-2 Double Wheel Chock (6) CTP1818-1.5 Mod Pad (4) 67HDC10 Little Black Diamond Crib (8) S612-12 The Half Slab (4) SC-COG-1 COG Step Chock (2) TBP Top Bag Pad (5) CB Carrying Bag (optional) (10) CT Crib Toter (optional)	1,069.5 kg./ 2,358 lbs.

**Your FREE Bonus Includes:**

Qty	Part #	Description
2	CTP2424-2	Mod Pad
1	CTP1818-1.5	Mod Pad

**Your FREE Bonus Includes:**

Qty	Part #	Description
2	CTP2424-2	Mod Pad
2	CTP1818-1.5	Mod Pad

**Your FREE Bonus Includes:**

Qty	Part #	Description
2	CTP2424-2	Mod Pad
2	CTP1818-1.5	Mod Pad

Auto X Tool Kit B



*Improved!*

# Urban Search and Rescue Kits

Turtle Plastics has upgraded our Urban Search and Rescue Kits to include our newest and most innovative products. We've added kits and renamed the former USAR Kits. We've expanded our kit offering to help insure the most stable configurations for safety search and rescue operations.

## USAR Kit A Gen 2

Part #	Included Components	Total Kit Wgt
USAR Kit A Gen 2	(27) 44PL-18 Hybrid Crib (12) 4/4-20 Wedge (12) 24-18 Pyramid Crib (12) 2/4-12 Wedge (1) WC-2 Double Wheel Chocks (1) CB Carrying Bag (Optional) (3) CT Crib Toters (Optional)	134 kg./ 295.5 lbs.

### Your FREE Bonus Includes:

Qty	Part #	Description
1	CTP1818-1.5	Mod Pad

## USAR Kit B Gen 2

Part #	Included Components	Total Kit Wgt
USAR Kit B Gen 2	(27) 44PL-18 Hybrid Crib (12) 4/4-20 Wedge (12) 24-18 Pyramid Crib (12) 2/4-12 Wedge (2) WC-2 Double Wheel Chocks (4) SC-1 Standard Step Chock (2) SC-2 Medium Step Chock (1) HBS Hose Bridge Set-4pcs. (2) CTP1818-1.5 Mod Pad (9) 67SC-24 Super Crib (2) 6/7-24 Super Wedge (2) 44-SCH-BLK Shoring Crib (2) S612-24 The Slab (2) S612-12 The Half Slab (1) LB-K Turtle Lock Block Kit-3 pcs. (1) TBP Top Bag Pad (2) CB Carrying Bag (Optional) (3) CT Crib Toters (Optional)	575.1 kg./ 1,268 lbs.

### Your FREE Bonus Includes:

Qty	Part #	Description
2	CTP2424-2	Mod Pad

## USAR Kit C Gen 2

Part #	Included Components	Total Kit Wgt
USAR Kit C Gen 2	(27) 44PL-18 Hybrid Crib (12) 4/4-20 Wedge (12) 24-18 Pyramid Crib (12) 2/4-12 Wedge (4) WC-2 Double Wheel Chocks (4) SC-1 Standard Step Chock (2) SC-2 Medium Step Chock (2) SC-3 Giant Step Chock (1) HBS Hose Bridge Set-4pcs. (2) CTP1818-1.5 Mod Pad (18) 67SC-24 Super Crib (2) 6/7-24 Super Wedge (2) 44-SCH-BLK Shoring Crib (4) S612-24 The Slab (2) S612-12 The Half Slab (3) 67HDC10 Little Black Diamond Crib (6) 67HDC30 Black Diamond Crib (2) LB-K Turtle Lock Block Kit-3 pcs. (2) TBP Top Bag Pad (2) CB Carrying Bag (Optional) (3) CT Crib Toters (Optional)	904 kg./ 1,993 lbs.

### Your FREE Bonus Includes:

Qty	Part #	Description
3	CTP2424-2	Mod Pad
1	LB-K	Lock Block Kit-3 pcs.
2	6W	6" x 8.5" Wedge
2	3W	3" x 8.5" Wedge

USAR Kit A Gen 2



*New!*

# Urban Search and Rescue Kits

Rescuers worldwide agree that there is no such thing as being over-prepared for USAR Operations. According to Instructor Billy Leach, "Cribbing is one of the most frequently used and essential tools during rescue operations and is considered to be among the strongest means of support." Buildings are taller, vehicles are larger, machinery

is heavier and the need for reliable cribbing that can withstand even the heaviest loads is crucial. These new larger USAR Kits are appropriate for:

- Overturned vehicles.
- Passenger rail.
- Debris within collapsed buildings.
- Heavy industry rescue operations.

## USAR Kit D Gen 1

Part #	Included Components	Total Kit Wgt
USAR Kit D Gen 1	(27) 44PL-18 Hybrid Crib	1,163.2 kg./
	(12) 4/4-20 Wedge	2,564.5 lbs.
	(12) 24-18 Pyramid Crib	
	(12) 2/4-12 Wedge	
	(4) WC-2 Double Wheel Chocks	
	(4) SC-1 Standard Step Chock	
	(2) SC-2 Medium Step Chock	
	(2) SC-3 Giant Step Chock	
	(1) HBS Hose Bridge Set-4pcs.	
	(2) CTP1818-1.5 Mod Pad	
	(24) 67SC-24 Super Crib	
	(5) 6/7-24 Super Wedge	
	(2) 44-SCH-BLK Shoring Crib	
	(6) S12-24 The Slab	
	(6) S612-12 The Half Slab	
	(6) 67HDC10 Little Black Diamond Crib	
	(6) 67HDC30 Black Diamond Crib	
	(3) LB-K Turtle Lock Block Kit-3 pcs.	
	(2) TBP Top Bag Pad	
	(3) CB Carrying Bag (Optional)	
	(3) CT Crib Toters (Optional)	

### Your FREE Bonus Includes:

Qty	Part #	Description
3	CTP2424-2	Mod Pad
3	6W	6" x 8.5" Wedge
3	3W	3" x 8.5" Wedge

## USAR Kit E Gen 1

Part #	Included Components	Total Kit Wgt
USAR Kit E Gen 1	(27) 44PL-18 Hybrid Crib	1,880.3 kg./
	(12) 4/4-20 Wedge	4,145.5 lbs.
	(12) 24-18 Pyramid Crib	
	(12) 2/4-12 Wedge	
	(4) WC-2 Double Wheel Chocks	
	(4) SC-1 Standard Step Chock	
	(4) SC-2 Medium Step Chock	
	(4) SC-3 Giant Step Chock	
	(1) HBS Hose Bridge Set-4pcs.	
	(1) HBS68 Super Hose Bridge Set-6pcs.	
	(2) CTP1818-1.5 Mod Pad	
	(24) 67SC-24 Super Crib	
	(5) 6/7-24 Super Wedge	
	(2) 44-SCH-BLK Shoring Crib	
	(12) S12-24 The Slab	
	(6) S612-12 The Half Slab	
	(6) 67HDC10 Little Black Diamond Crib	
	(18) 67HDC30 Black Diamond Crib	
	(4) LB-K Turtle Lock Block Kit-3 pcs.	
	(2) TBP Top Bag Pad	
	(3) CB Carrying Bag (Optional)	
	(3) CT Crib Toters (Optional)	

### Your FREE Bonus Includes:

Qty	Part #	Description
3	CTP2424-2	Mod Pad
3	6W	6" x 8.5" Wedge
3	3W	3" x 8.5" Wedge
4	4/4-PDU-18	4" x 4" x 18" Wedge

# Protection Pad Kits

## mod pad application kits

- Mod Pad Application Kits, for light duty applications in stabilization, light duty trucks, trailers.
- Kits available for different height and weight lifting requirements.
- Provides extra stability on uneven surfaces.

## mod pad lifting bag kit


- Use only under an air lifting bag for smaller lifting bag protection.
- For light duty applications in auto repair shops, light duty trucks, trailers.
- Provides extra protection for lifting bags in outdoor settings.

## light duty mod pad kits

Part #	Product Name	Included Components	Total Kit Wgt
MODPAD-9-S	9" Box Crib Kit	(2) CTP1818-1.5W/L Mod Pad (3) 44PL-18 Hybrid Crib (2) 4/4-20 Wedge	25.40 kg./56 lbs.
MODPAD-21-S	21" Box Crib Kit	(2) CTP1818-1.5W/L Mod Pad (18) 44PL-18 Hybrid Crib (2) 4/4-20 Wedge	41.73 kg./92 lbs.
MODPAD-57-S	57" Box Crib Kit	(2) CTP1818-1.5W/L Mod Pad (27) 44PL-18 Hybrid Crib (2) 4/4-20 Wedge	131.54 kg./200 lbs.




**Mod Pad**  
(Part # CTP2424-2W/L)



**APPLICATION 1**  
Stabilizing plate for top and bottom of crib stacks.

## medium duty mod pad kits


Part #	Product Name	Included Components	Total Kit Wgt
MODPAD-10M	10" Box Crib Kit	(2) CTP2424-2W/L Mod Pad (3) 67SC-24 Super Crib (2) 6/7-24 Wedge	76.66 kg./169 lbs.
MODPAD-28-M	28" Box Crib Kit	(2) CTP2424-2W/L Mod Pad (12) 67SC-24 Super Crib (2) 6/7-24 Wedge	170.55 kg./376 lbs.



**APPLICATION 2**  
Use under an air bag.

## mod pad lifting bag kit (Lifting bag not included in kit)

Part #	Product Name	Included Components	Total Kit Wgt
MODPAD-10-TBP	Mod Pad Lifting Bag Kit	(2) CTP2424-2W/L Mod Pad (3) 67SC-24 Super Crib (2) 6/7-24 Wedge (1) TBP Top Bag Pad	61.69 kg./136 lbs.



**APPLICATION 3**  
Use as an outrigger pad.

# COG Step Chock Combo

## COG step chock combo

- Wedge and incline lock together for maximum stability.
- Flip and it's a standard step chock — quick set up and leveling.
- Works like the cog incline railroad... a simple design that works!
- Compatible with Turtle Lock Block.



*NEW easy-grip handle!*

Part #	Product Name	Dimensions	Wgt
COG	COG Step Chock Combo	Base 24 <sup>3</sup> / <sub>8</sub> " Width 6 <sup>5</sup> / <sub>8</sub> " Hgt 10 <sup>3</sup> / <sub>4</sub> "	10.8 kg./24 lbs.

## COG step chock kits

### cog step chock kit A

- Part# COG KIT A  
 (2) Cog Step Chock  
 (3) Turtle Lock Block Kit  
 (2) Carrying Bag

Total Kit Wgt 45.3 kg./100 lbs.

**Your FREE Bonus Includes:**

Qty	Part#	Description
(1)	CTP1818	18" Mod Pad

### cog step chock kit B

- Part# COG KIT B  
 (4) Cog Step Chock  
 (6) Turtle Lock Block Kit  
 (4) Carrying Bag

Total Kit Wgt 90.7 kg./200 lbs.

**Your FREE Bonus Includes:**

Qty	Part#	Description
1	CTP1818	18" Mod Pad
1	TBP	Top Bag Pad

### cog step chock kit C

- Part# COG KIT C  
 (8) Cog Step Chock  
 (12) Turtle Lock Block Kit  
 (8) Carrying Bag

Total Kit Wgt 181.4 kg./400 lbs.

**Your FREE Bonus Includes:**

Qty	Part#	Description
2	CTP1818	18" Mod Pad
2	TBP	Top Bag Pad


### cog step chock kit D

- Part# COG KIT D  
 (16) Cog Step Chock  
 (24) Turtle Lock Block Kit  
 (16) Carrying Bag

Total Kit Wgt 362.8 kg./800 lbs.

**Your FREE Bonus Includes:**

Qty	Part#	Description
4	CTP1818	18" Mod Pad
4	TBP	Top Bag Pad



Scan this QR code to read the entire article in *Fire Apparatus & Emergency Equipment*, September 2013 issue.



**"The combination of the incline of the cogged ramp and the wedge effectively creates a system that captures and secures the vehicle..."**

# Crib Toter Kit



**ERGONOMICALLY FRIENDLY!**

## crib toter kit

- Keeps Hybrid Crib (44PL-18) organized; carry 9 per toter.
- Ergonomic features reduce injuries.
- Ideal for storage in compact spaces.
- Weather-resistant nylon bag.



Part #	Product Name	Total Kit Wgt
CT44PL-18	Crib Toter Kit (2) Toters, plus (18) Hybrid Crib	58.06 kg./128 lbs.
CT	Crib Toter Only	.45 kg./1 lb.


Stand up straight and see where you're going! It's easier on your back (and safer) to carry two equal loads at your sides.

dura crib product line



ALL TURTLE PLASTICS' PRODUCTS  
**MADE IN USA** ★

# Step Chocks



## step chocks


- Fastest way to stabilize.
- Ensures stability.
- Work faster against the golden hour.



### standard step chock

- Quickly stabilize passenger vehicles.
- Lightweight.
- Built-in hand hold.

Part #	Base	Width	Hgt	Wgt
SC-1	24 <sup>1</sup> / <sub>2</sub> "x5 <sup>3</sup> / <sub>4</sub> "	3 <sup>3</sup> / <sub>4</sub> "	10 <sup>3</sup> / <sub>4</sub> "	7.71 kg./ 17 lbs.



### medium step chock

- Quickly stabilize trucks and SUV's.
- Stable footprint.
- Built-in hand hold.

Part #	Base	Width	Hgt	Wgt
SC-2	29 <sup>1</sup> / <sub>2</sub> "x9"	4 <sup>1</sup> / <sub>2</sub> "	17 <sup>1</sup> / <sub>4</sub> "	16.7 kg./ 37 lbs.



### giant truck/bus step chock

- Quickly stabilize large vehicles.
- Built-in hand hold.

Part #	Base	Width	Hgt	Wgt
SC-3	31 <sup>1</sup> / <sub>2</sub> " x 11"	5"	22"	28.5 kg./ 63 lbs.


# The Slab & The Half Slab

## the slab

- Used in fleet maintenance, aerial truck repair, construction and agricultural repair or rescue, and USAR applications.
- Our largest heavy duty block.
- Pyramid design on two sides securely locks.
- Rapid stacking and instant stabilization.
- Lanyard on both sides of the block.




The S Series line of dura crib brand tools are designed as slabs to create an incredibly strong, stable and versatile large surface area platform for stabilizing equipment.



6" x 12" x 24"

Orange lanyard indicates Heavy Working Load Limit.

Part #	Product Name	Dimensions	Wgt	WLL
S612-24	The Slab	6" x 12" x 24"	24.9 kg./55 lbs.	110,000 kg./242,508 lbs.
S612-12	The Half Slab	6" x 12" x 12"	12.02 kg./26.5 lbs.	55,000 kg./121,254 lbs.



6" x 12" x 12"

Orange lanyard indicates Heavy Working Load Limit.

## the half slab

- Half the size of The Slab in a molded one-piece block.
- A heavy duty crib for smaller spaces.
- Used in fleet maintenance, aerial truck repair, construction and agricultural repair or rescue, and USAR applications.
- Pyramid design on two sides securely locks.
- Lanyards on both sides of the block.



# Black Diamond Crib

## black diamond crib

- A gem of a workhorse in our dura crib line.
- Creates a completely interlocking base.
- Your first choice whenever a tall box crib configuration is needed.
- Pyramid design on all four sides securely lock.
- Heavy duty construction.
- Multiple industry use.
- Lanyard on two sides of block.



6" x 7"

Orange lanyard indicates Heavy Working Load Limit.



Photo courtesy of NASA

The D Series line of dura crib brand tools feature interlocking pyramids on all four sides.

## little black diamond crib

- Smaller cousin of the Black Diamond Crib.
- Use to stabilize smaller equipment.
- Included in the IBSR for forklift repairs. Kits section starts on page 6.




6" x 7"

Yellow lanyard indicates Light Working Load Limit.

# Profile Crib

## profile crib

- Smaller cousin of the Black Diamond Crib is ideal for limited spaces.
- Pyramid design on all four sides securely lock.
- Used in HVAC, industrial, transportation and light rail applications.
- Lanyard on one side of block.



4" x 4"

Orange lanyard indicates Heavy Working Load Limit.

Part #	Product Name	Dimensions	Wgt	WLL
67HDC-30	Black Diamond Crib	6" x 7" x 30"	18.14 kg./40 lbs.	71,600 kg./157,850 lbs.
67HDC-10	Little Black Diamond Crib	6" x 7" x 10"	7.25 kg./16 lbs.	23,700 kg./52,249 lbs.
44HDC-30	Profile Crib	4" x 4" x 30"	7.71 kg./17 lbs.	50,800 kg./111,994 lbs.



# Prime Crib


**OUR MOST POPULAR STABILIZING CRIB!**

## prime crib

- Two working surfaces in one block.
- Locking “lincoln log” style sides allow for additional stability and multiple stacking configurations.
- Versatile, affordable blocking solution.
- Used in heavy equipment, construction, transportation, rail and surface mining.
- Lanyard on two sides of block.
- Complete crib kits available with this block. Kits section starts on page 6.



Slip-resistant pyramid locking surface creates a strong, more stable base than wood.



6" x 7"

Orange lanyard indicates Heavy Working Load Limit.

The G Series line of dura crib tools has a slip-resistant pyramid locking surface combined with locking “lincoln log” style sides creates a secure and more stable crib stack than wood.


Part #	Product Name	Dimensions	Wgt	WLL
67PC-24	Prime Crib	6" x 7" x 24"	12.24 kg./27 lbs.	58,800 kg./129,631 lbs.



# Super Crib

## super crib

- Most popular medium duty block.
- Pyramid design securely locks.
- Locking “lincoln log” style sides allow for additional stability and multiple stacking configurations.
- For use in rail, heavy rescue, fleet maintenance and facility management.
- Lanyard on both sides of block.
- Kits section starts on page 6.



6" x 7"


Blue lanyard indicates Medium Working Load Limit.

Part #	Product Name	Dimensions	Wgt	WLL
67SC-24	Super Crib	6" x 7" x 24"	10.43 kg./ 23 lbs.	49,900 kg./ 110,010 lbs.

# Hybrid Crib

## hybrid crib

- The new standard in light application cribbing/blocking.
- Two surfaces in one crib.
- Pyramid design securely locks.
- Locking “lincoln log” style sides allow for additional stability and multiple stacking configurations.
- Lanyard on one side of block.



4" x 4"

Yellow lanyard indicates Light Working Load Limit.




Part #	Product Name	Dimensions	Wgt	WLL
44PL-18	Hybrid Crib	4" x 4" x 18"	2.72 kg./6 lbs.	20,500 kg./45,194 lbs.



# Turtle Lock Block

## turtle lock block

- Create a stable platform on many surfaces.
- Versatile stackable blocks.
- Unique square peg surfaces interlock with each other.
- Available in three sizes.
- Use as spacers or dunnage.
- Lightweight, easy to carry.




Part # 2B (top)


Part # 2B (bottom)

Part #	Product Name	Dimensions	Wgt	WLL
1B	Turtle Lock Block	9" x 9" x 1"	1.36 kg./3 lbs.	31,000 kg./68,343 lbs.
2B	Turtle Lock Block	9" x 9" x 2"	2.26 kg./5 lbs.	31,000 kg./68,343 lbs.
3B	Turtle Lock Block	9" x 9" x 3"	3.17 kg./7 lbs.	31,000 kg./68,343 lbs.

on the ground






on a seat cushion



Support on soft or hard surfaces.



on hard surfaces



dura stat product line





# Hose Bridge

## standard hose bridge

- Openings: accepts 5", 4" and 3" O.D.
- Creates a temporary safe passage for driving over hoses.
- For use on flat surfaces such as streets, roadways, parking lots, paved highways, paved sidewalks and pool areas.
- 4 piece kit.
- Supports up to 14,000 lbs. per axle.
- Each component weighs only 60 lbs.
- Easy to assemble.
- Patented design (U.S. Pat. No. D552,217).



Standard Hose Bridge (Part # HBS) (4 piece set)

Part #	Product Name	Dimensions*	Total Kit Wgt
HBS	Hose Bridge Set	70" x 49" x 6¾"	108.86 kg./ 240 lbs.

\*assembled



Hose Bridge Extender  
(Part # HBS-E237-24) (2 piece set)

## hose bridge extender


Lengthen the distance between ramps for optimum vehicle clearance. Works with standard and super hose bridge.

## hose bridge joiner

Used when making a roadway out of your hose bridge application. These patented all-stainless joiners locks the hose bridge in place.



Hose Bridge Joiner  
(Part # HJ)



Ideal accessory.  
Hose Bridge Extender  
(Part # HBS-E237-24)  
(2 piece set)

Part #	Product Name	Dimensions	Wgt
HBS-E237-24	Hose Bridge Extender	27 <sup>9</sup> / <sub>16</sub> " x 23 <sup>1</sup> / <sub>8</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	27.21 kg./60 lbs.
HJ	Hose Bridge Joiner		0.907 kg./2 lbs.

# Super Hose Bridge



Ideal protection for large diameter hoses.

Super Hose Bridge (Part # HBS68) (6 piece set)

## super hose bridge

- For use on flat surfaces such as streets, roadways, parking lots, paved highways, paved sidewalks and pool areas.
- Creates a temporary safe passage for driving over hoses.
- Openings: accepts 6", 8" and 10" O.D.
- Ideal protection for large diameter hoses.
- Larger hose openings than our Standard Hose Bridge.
- Wide ramps for easy access.
- Available with yellow reflective striping and side reflectors.
- Patented design.
- 6 piece set.
- Puzzle piece shapes.
- 14,000 lbs. per axle load capacity.


Part #	Product Name	Dimensions	Total Kit Wgt
HBS68	Super Hose Bridge	126" x 49" x 12¼"	244.94 kg./ 540 lbs.

# Hose Bridge Accessories



## pedestrian hose bridge

- Reduce trip hazards by creating a temporary pedestrian bridge anywhere.
- One person can carry and assemble.
- Open grid grit top for dry, slip-resistant footing.
- Available as a half bridge model for curb access and optional holes for securing bridge to the ground.
- Compatible with our Standard Hose Bridge. Not available for Super Hose Bridge.



Part #	Product Name	Wgt
HBS-1/2S	Half Bridge	27.21 kg./60 lbs.
HBS-1/2	(2) Half Bridges for curb ramps	54.42 kg./120 lbs.
WSHBS	Grit Top Walking Surface	5.89 kg./13 lbs.
PB-R	Single Handrail	6.12 kg./13.5 lbs.

## Rizers



Rizer (Part # RZ-44-1-10°)



Rizer (Part # RZ-86-2-30°)



















Stockpicker Rizer (Part # RZ-17-1-10°)

### rizers

- Indispensable ramp safety systems for track vehicles, forklifts, lo-boys, auto transport, vehicle inspection.
- Inexpensive repair tool for indoor/outdoor use.
- Over a dozen sizes to choose from.
- Ergonomically designed, durable and portable.
- Lighter weight than steel ramps.
- Customizable options include lanyards and slip-resistant bottoms and ramps.



Part #	Profile	Side View	Wgt
RZ-44-2-30°			6.35 kg./14 lbs.
RZ-66-2-30°			13.60 kg./30 lbs.
RZ-68-2-30°			20.41 kg./45 lbs.
RZ-86-2-30°			20.41 kg./45 lbs.
RZ-17-1-10° Stockpicker Rizer			Standard with slip-resistant bottom 2.25 kg./5 lbs.
RZ-44-1-10°			5.44 kg./12 lbs.
RZ-66-1-10°			13.60 kg./30 lbs.
RZ-68-1-10°			20.41 kg./45 lbs.
RZ-86-1-10°			20.41 kg./45 lbs.
RZ-BF2-1			Optional without feet Part # RZ-BF2-1-NF 24.49 kg./54 lbs.
RZ-BF3-1			Optional without feet Part # RZ-BF3-1-NF 36.74 kg./81 lbs.
RZ-BF4-1			Optional without feet Part # RZ-BF4-1-NF 48.98 kg./108 lbs.

Options: Lanyard | Slip-Resistant Bottom | Slip-Resistant Ramp

# Dura Stat Engineered Blocking

**CREOSOTE FREE**

## dura stat

- Composite re-engineered plastic blocks.
- Smooth profile on all four sides.
- Replaces metal framing and wood timbers for storing raw materials.
- Superior performance to railroad timber profiles.
- For indoor/outdoor material storage only.
- Ideal alternative to wood on tractor trailers during material transportation (dunnage).
- Easy to clean, won't rot, split or absorb moisture.
- Customized configurations to meet your indoor/outdoor storage criteria.
- All lumber sizes are nominal and weights are approximate.



For material storage only.

## non-stackable square blocking

Part # & Dimensions	Wgt
2" x 2" x 6'	2.72 kg./6 lbs.
2" x 2" x 12'	5.44 kg./12 lbs.
4" x 4" x 6'	14.06 kg./31 lbs.
4" x 4" x 8'	18.59 kg./41 lbs.
4" x 4" x 12'	27.66 kg./61 lbs.



Ideal spacers for easy forklift access.

## non-stackable rectangular blocking

Part # & Dimensions	Wgt
2" x 3" x 6'	4.53 kg./10 lbs.
2" x 3" x 12'	8.61 kg./19 lbs.
2" x 4" x 6'	5.89 kg./13 lbs.
2" x 4" x 8'	8.16 kg./18 lbs.
2" x 4" x 12'	11.79 kg./26 lbs.
2" x 6" x 6'	9.07 kg./20 lbs.
2" x 6" x 8'	11.79 kg./26 lbs.
2" x 6" x 12'	17.69 kg./39 lbs.
2" x 8" x 6'	11.79 kg./26 lbs.
2" x 8" x 8'	15.42 kg./34 lbs.
2" x 8" x 12'	23.13 kg./51 lbs.
2" x 10" x 6'	16.32 kg./36 lbs.
2" x 10" x 8'	21.11 kg./48 lbs.
2" x 10" x 12'	32.65 kg./72 lbs.
3" x 4" x 6'	9.63 kg./21 lbs.
3" x 4" x 8'	12.70 kg./28 lbs.
3" x 4" x 12'	19.05 kg./42 lbs.
3" x 10" x 6'	26.30 kg./58 lbs.
3" x 10" x 8'	34.47 kg./76 lbs.
3" x 10" x 12'	52.16 kg./115 lbs.
4" x 6" x 12'	35.83 kg./79 lbs.
6" x 6" x 8'	35.83 kg./79 lbs.
6" x 8" x 8'	49.89 kg./110 lbs.

# Turtle Trax | Modular Rail Kit System



<http://turtleplastics.com/wp-content/uploads/turtle-trax-june-2018.mp4>

## turtle trax temp RR xing

- Portable modular rail crossing system provides safe crossing for most types of vehicles during rail repair.
- Durable, ergonomic modules.
- Quick and easy on-site assembly.\*
- Patented design.\*\*




There's no need to have local law enforcement on hand to redirect traffic or close crossings for repairs. From start to finish, Turtle Trax installs in less than two minutes, using either sledge or air hammer. Puzzle design locks the multiple pieces securely in place.

Part #	Product Name	Dimensions	Wgt
TT-237-27/12 pk	Turtle Trax - Temp RR Xing	27 <sup>9</sup> / <sub>16</sub> " x 23 <sup>1</sup> / <sub>8</sub> " x 6 <sup>3</sup> / <sub>4</sub> " Ea	29.48 kg./ 65 lbs. Ea

\*Lag bolts not included.

\*\*Turtle Trax U.S. Pat. No. D815,306



Turtle Trax (Part # TT-237-27)

specialty products

environmental

rescue

health

community

safety

quick response

customers

# The Turtle Tube



[http://turtleplastics.com/new-product-ideas/turtleplastics-comwp-content/uploads/grainbinrescuetube\\_rev-1-mp4/](http://turtleplastics.com/new-product-ideas/turtleplastics-comwp-content/uploads/grainbinrescuetube_rev-1-mp4/)



## Why wait until you need one?

"Over the past 50 years, more than 900 cases of grain engulfment have been reported, and the fatality rate is 62%."

Read the full story by the Nebraska Corn Board as it appears on the Nebraska Farmer website.



## the turtle tube grain bin rescue sleeve

At Turtle Plastics, we feel that even just one silo accident is too many. We believe that The Turtle Tube is the best rescue sleeve available today.

- Developed specifically for use in grain handling at food processing plants, breweries, elevators and grain transport vehicles.
- Designed, developed, tested and built by farmers and firefighters, working together to better save lives.
- Rapid deployment.
- One-piece construction.
- 15" storage diameter.
- Carrying bag included.
- Weighs only 18 lbs.
- Priced well below competitors.
- Training available.
- Patented design\*.



Carrying Bag



Part #	Product Name	Wgt
TUTU-1	The Turtle Tube	8.16 kg./18 lbs.

\*The Turtle Tube U.S. Pat. No. D809,210



# Protection Pads

## mod pad

- Multi-use interlocking stabilizing plate for top and bottom of G Series crib stacks.
- Use on top of crib stack to provide a level, uniform top, and on bottom of crib stack, with wedges, to achieve optimum level. See page 11 for kit.
- Use under an air lifting bag. See page 11 for kit. Airbag not sold through Turtle Plastics.
- Built-in level.
- Two sizes: 18" x 18" x 1.5", or 24" x 24" x 2".
- Patented design\*.



**Mod Pad not advisable for use with the S or P Series blocking products.**



Top Bag Pad (Part #TBP)

## top bag pad

- Flexible rubber plate used to protect lifting airbags from unseen objects.

Part #	Product Name	Dimensions	Wgt	WLL
CTP1818 -1.5W/L	Mod Pad	18" x 18" x 1.5"	6.80 kg./15 lbs.	54,431 kg./120,000 lbs.
CTP2424 -2W/L	Mod Pad	24" x 24" x 2"	17.23 kg./38 lbs.	102,058 kg./225,000 lbs.
TBP	Top Bag Pad	18" x 18"	5.89 kg./13 lbs.	N/A

\*Mod Pad™ U.S. Pat. No. D804,768



# Protection Pads

## prime crib stack pad

- Stabilizing plate created specifically for use on a Prime Crib stack (Part #67PC-24).
- Distributes weight over crib stack to best support lifting operations.
- Helps reduce risk of point source load failures.
- 2" x 24" x 24".
- Cushioned lanyard.



Prime Crib Stack Pad  
(Part # PCP24)

Use the right pad for the job.



## slab pad and half slab pad

- Stabilizing plate created specifically for The Slab (Part # S612-24) and The Half Slab (Part #S612-12).
- Distributes weight over heavy duty crib stacks, for use with the S Series line.
- Two size options: 2" x 12" x 12, or 2" x 12" x 24".
- Helps reduce risk of point source load failures.
- Cushioned lanyard.



Slab Pad (Part # SP24)

## single prime/super crib pad

- Stabilizing plate created especially for the Super Crib (Part #67SC-24) and the Prime Crib (Part #67PC-24).
- For use with an individual crib (not stack).
- 1" x 6" x 24".
- Helps reduce risk of point source load failures.
- Cushioned lanyard.



PSP24 Single Prime/  
Super Crib Pad  
(Part # PSP24)



Half Slab Pad (Part # SP12)

## single hybrid crib pad

- Stabilizing plate created especially for the Hybrid Crib (44PL-18).
- 1" x 4" x 18".
- Helps reduce risk of point source load failures.
- Cushioned lanyard.



PSP18 Single Hybrid Crib Pad  
(Part # PSP18)

Part #	Product Name	Dimensions	Wgt	WLL
PCP24	Prime Crib Stack Pad	2" x 24" x 24"	18.14 kg/40 lbs.	3,000 PSI
SP12	Half Slab Pad	2" x 12" x 12"	2.72 kg./6 lbs.	3,000 PSI
SP24	Slab Pad	2" x 12" x 24"	5.44 kg./12 lbs.	3,000 PSI
PSP24	Single Prime/Super Crib Pad	1" x 6" x 24"	2.27 kg./5 lbs.	3,000 PSI
PSP18	Single Hybrid Crib Pad	1" x 4" x 18"	1.133 kg./2.5 lbs.	3,000 PSI





# Wedges

## stepped wedges

- 3" high stepped top surface slopes downward for improved grip.
- Convenient lanyard optional.

Part #	Dimensions	Wgt
3W	3" x 8.5"	0.68 kg./1.5 lbs.
6W	6" x 8.5"	1.36 kg./3 lbs.
12W	12" x 8.5"	2.72 kg./6 lbs.
24W	24" x 8.5"	5.44 kg./12 lbs.



## door wedges

- Smooth surface.


Part #	Dimensions	Wgt
2/4-12	2" x 4" x 12"	0.68 kg./1.5 lbs.
1.5W	1.5" x 8.5"	0.34 kg./ .75 lbs.
3W	3" x 8.5"	0.68 kg./1.5 lbs.



## pyramid face wedges

- Dura crib interlocking surface offers aggressive contact with vehicle or underlayment for secure anchoring or leveling.
- Pyramid wedge can be placed either up or down. Works great with D or G Series.
- Convenient lanyard.

Part #	Dimensions	Wgt
4/4-PDU	4" x 4" x 18"	1.58 kg./3.5 lbs.
6/7-PDU	6" x 7" x 24"	12.24 kg./27 lbs.



## standard wedges


- Convenient lanyard.
- Smooth surface.

Part #	Dimensions	Wgt
2/4-12	2" x 4" x 12"	0.68 kg./1.5 lbs.
4/4-20	4" x 4" x 20"	1.81 kg./4 lbs.
6/7-24	6" x 7" x 24"	5.44 kg./12 lbs.




## mini and sprinkler wedges

Part #	Dimensions	Wgt
WIT-Y	5.75" x 1.7" x .7"	0.09 kg./ .2 lbs.



# Wheel Chocks



**Hi-Vis Yellow!**  
You won't lose these!

*"Oops-proof" lanyard reminds you to chock both front and back of tire!*

Double Wheel Chock  
(Part # WC-2)

## wheel chocks

- Prevents accidental movement onto workers.
- Use at both front and back of tire for extra security.
- Also used in aerospace, transportation, rolling equipment repair. Versatile for use in airports and fire departments.
- Very affordable.

Part #	Product Name	Dimensions	Wgt
WC-1	Single Wheel Chock	9 1/2" L x 5 7/8" W x 3 5/8" H	2.72 kg./6 lbs.
WC-2	Double Wheel Chock	9 1/2" L x 5 7/8" W x 3 5/8" H	5.44 kg/12 lbs.

**Bottom grit surface available.**



# Fleet Maintenance Bay Service Kit

## fleet maintenance bay service kit

This kit is great for fleet maintenance and repair facilities. The dura stat products in these kits were designed specifically for mast support up to 4,200 pounds or material storage applications. Never stack smooth profile (static) cribbing.

## fleet maintenance bay service kit

Part #	Product Name	Included Components	Total Kit Wgt
FMBS	Fleet Maintenance Bay Service Kit	(1) Carrying Bag (2) SC-2 Medium Step Chocks (2) 4"x4"x22" (true) dura stat (2) 4"x4"x48" (true) dura stat (2) RZ-68-1-10 Rizer (2) Bessey Clamp (2) 67HDC-10 Little Black Diamond Crib (2) WC-1 Wheel Chock (4) WC-2 Double Wheel Chock (4) S612-12 The Half Slab (6) S612-24 The Slab (12) 67PC-24 Prime Crib	571.52 kg./1,260 lbs.

Includes (2) Accessory Parts\*



\*Includes your choice of (2) Stockpicker Rizers or (2) 2B Turtle Lock Blocks when you buy FMBS Kit.

Stockpicker Rizer  
(Part # RZ-17-1-10°)

Turtle Lock Block  
(Part # 2B)

Fleet Maintenance Bay Service Kit (Part # FMBS)



# Towing Accessories



Tire Skate  
(Part # TS-1W)



Tire Skate  
(Part # TS-2W)



Tire Skate  
(Part # TS-4W)



Jack Rabbit Base  
(Part # JRB92017 w/L)

## towing accessories

- Tire skates in three sizes with lanyards.
- Rollover stick with lanyard.

Part #	Product Name	Dimensions	Wgt
TS-1W	Tire Skate	17 <sup>1</sup> / <sub>4</sub> " x 31 <sup>1</sup> / <sub>4</sub> " x 4"	1.36 kg./3 lbs.
TS-2W	Tire Skate	17 <sup>1</sup> / <sub>4</sub> " x 61 <sup>1</sup> / <sub>2</sub> " x 4"	2.72 kg./6 lbs.
TS-4W	Tire Skate	17 <sup>1</sup> / <sub>4</sub> " x 13" x 4"	5.44 kg./12 lbs.
44-48PS	Rollover Stick	4" x 4" x 48"	8.16 kg./18 lbs.



## jack rabbit base

- Stabilize jacks on uneven surfaces.
- Pyramid surface pairs with our cribbing where additional height is needed.

Part #	Product Name	Wgt
JRB92017 w/L	Jack Rabbit Base	3.17 kg./7 lbs.




Rollover Stick (Part # 44-48PS)

# Turtle Tiles

**one simple tile does it all**

Turtle Tiles are the cushion tiles from the **original modular matting people.**



We have the best and most versatile selection of safety flooring solutions.

**ZERO**  **WASTE**

ALL TURTLE PLASTICS® PRODUCTS  
**MADE IN USA** 



15 Colors Available



# Modular Tiles


## turtle tiles

- Turtle Tiles are 12"x12" interlocking modular tiles that are 1/2" or 3/4" and are made of 100% recycled PVC.
- The original interlocking modular tile.
- Provides maximum drainage of fluids.
- Allows air circulation to keep equipment, floors, and tiles dry.
- Resistant to many industrial chemicals.
- Hygienic, no odor.
- 1/2" Black Tile used for compartment lining in trucks and buckets.

## turtle tiles

Part #	Product Name	Dimensions	Wgt
1212	Standard Tile	12"x12"x3/4"	0.74 kg./1.65 lbs.
1212-C	Color	12"x12"x3/4"	0.74 kg./1.65 lbs.
1212-H	Hard	12"x12"x3/4"	0.74 kg./1.65 lbs.
1212-SS	Super Soft Black	12"x12"x3/4"	0.74 kg./1.65 lbs.
1212-S-SS	Solid Super Soft	12"x12"x3/4"	0.74 kg./1.65 lbs.
1212-G	Grit Top	12"x12"x3/4"	0.81 kg./1.8 lbs.
1212-S	Solid Surface	12"x12"x3/4"	0.90 kg./2 lbs.
1212-1/2	1/2" Black Tile	12"x12"x1/2"	0.61 kg./1.35 lbs.

Standard Tile  
Part # 1212



## standard ramps 2 1/2"

Part #	Product Name	Dimensions	Wgt
AM/AF	Male/Female Edge Black	12"x2 1/2"x3/4"	0.22 kg./0.5 lbs.
AM-C/AF-C	Male/Female Edge Color	12"x2 1/2"x3/4"	0.22 kg./0.5 lbs.
BM/BF	Male/Female Corner Black	14"x2 1/2"x3/4"	0.22 kg./0.5 lbs.
BM-C/BF-C	Male/Female Corner Color	14"x2 1/2"x3/4"	0.22 kg./0.5 lbs.

## wide ramps 6"

Part #	Product Name	Dimensions	Wgt
612M/F	Male/Female Edge Black	12"x6"x3/4"	0.45 kg./1 lb.
612M-C/F-C	Male/Female Edge Color	12"x6"x3/4"	0.45 kg./1 lb.
612C	Universal Corner Black	6"x6"x3/4"	0.22 kg./0.5 lbs.
612C-C	Universal Corner Color	6"x6"x3/4"	0.22 kg./0.5 lbs.



Ramps

- G-add for Grit
- GS-add for Grit Stripe

Call us for our full line of Turtle Tiles.

WE TAKE BACK OUR TILES AT END-OF-LIFE. ZERO  WASTE




**WARNING**


This product can expose you to chemicals including vinyl chloride monomer, carbon black and/or di (2-ethylhexyl) phthalate which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# Compartment Matting


Heavy duty interlocking tiles let you mount brackets directly to the tile!



3/4" turtle tile  
Part # 1212



1/2" red ambulance tile  
Part # 1212-1/2-C



3/4" fluid resistant tile  
Part # 1212-FR

## turtle tiles compartment matting

- Protects vehicle compartments and equipment.
- Excellent for decks, battery compartments, bottle bumpers.
- Resists water, gas, fluids, and oils.
- No-scrunch style stays in place.
- 12" x 12" x 3/4" grid or 12" x 12" x 1/2" grid.
- Made in the U.S.A. from recycled plastic.

• Available in 15 colors!



Part #	Product Name	Dimensions	Wgt
1212	Standard Tile Black	12" x 12" x 3/4"	0.74 kg./1.65 lbs.
1212-C	Standard Tile Color	12" x 12" x 3/4"	0.74 kg./1.65 lbs.
1212-1/2"	1/2" Red Tile	12" x 12" x 1/2"	0.61 kg./1.35 lb.
AM/AF	Male/Female Edge Black	2.5" x 12"	0.22 kg./0.5 lbs.
AM/AF-C	Male/Female Edge Color	2.5" x 12"	0.22 kg./0.5 lbs.

**VOLUME DISCOUNTS!**  
CALL 800-756-6635  
FOR DETAILS!

# Compartment Matting

## ezMat

- ezMat one-piece custom compartment matting using genuine Turtle Tiles can be cut and assembled to your specifications. Choose stapled or sonic-welded.
- Mount brackets directly to compartment matting.
- Conveniently removes in one piece; simply hose off and re-install.
- Heavy duty industrial grade.
- 3/4" or 1/2" thick profile won't scratch compartment paint.
- No reassembly needed saving time and cost.
- Available in 15 colors, see page 40.

*one-piece compartment matting makes cleaning a breeze!*

**EASY WAY!**  
Individual tiles interlock for fast disassembly and "spring cleaning"!

**EASIER WAY!**  
The ezMat removes in one piece, simply hose off and re-install!



# Small Compartment Matting

## small compartment matting

- The thin solution for tight spaces.
- Use Thin Tile for tilt drawers on fire trucks and smaller compartments in ambulances.
- Heavy duty 12" x 12" x 1/2" grid.
- Made in the U.S.A. from recycled plastic.
- Easy to cut!
- Available in red or black only.




# In-Station Matting

## in-station matting

For safety's sake, use Turtle Tiles on any station surface where drainage and traction are essential. Made of recycled plastic, these durable interlocking tiles convert to any size area. Slip resistant, easily cleaned, and mounts to existing floor.

- Jump-down areas.
- SCBA rooms.
- Station floors.
- Workout areas.
- Ready rooms.
- Shower rooms.



# Superior Coatings



## superior coatings

Part #	Product Name	Wgt
DC-Gallon	Polyurethane Coating Indoor or Outdoor	4.53 kg./10 lbs.
DC-Quart	Polyurethane Coating Indoor or Outdoor	1.02 kg./2.25 lbs.
1212-G	Grit Top Tile	.81 kg/1.8 lbs

- Perfect for tanker tops, top decks, aerial platforms, steps, running boards, floors and anywhere a slip-resistant surface is needed.
- Dura Coat product is easily applied over most surfaces or Turtle Tiles.
- Easy application with brush, roller or sprayer.
- Bonds to wood, fiberglass, concrete, plastics, rubber, linoleum and primed metal.
- Similar to bed liner coatings.
- Dura Grit coating available in tile form only.
- Dura Coat Paint available in gallon or pint.

## dura crib WORKING LOAD LIMIT Based On Single Block

<b>Product Photo</b>				
<b>Lanyard Color</b>	 Heavy Load	 Heavy Load	 Heavy Load	 Heavy Load
<b>Part #</b>	S612-24	67HDC-30	67PC-24	S612-12
<b>Product Name</b>	The Slab	Black Diamond Crib	Prime Crib	The Half Slab
<b>WLL (kg)</b>	110,000	71,600	58,800	55,000
<b>WLL (lbs)</b>	242,508	157,850	129,631	121,254
<b>Strength (PSI)</b>	865	865	865	865
<b>Use With</b>	SP24 Slab Pad	Slab Pad Two / PSP24 Prime Crib Stack Pad	PSP24 Prime Crib Stack Pad	SP12 Half Slab Pad

<b>Product Photo</b>				
<b>Lanyard Color</b>	 Heavy Load	 Medium Load	 Light Load	 Light Load
<b>Part #</b>	44HDC-30	67SC-24	67HDC-10	44PL-18
<b>Product Name</b>	Profile Crib	Super Crib	Little Diamond Crib	Hybrid Crib
<b>WLL (kg)</b>	50,800	49,900	23,700	20,500
<b>WLL (lbs)</b>	111,994	110,000	52,249	45,194
<b>Strength (PSI)</b>	865	735	865	735
<b>Use With</b>	PSP24 Prime Crib Stack Pad	PSP24 Prime Crib Stack Pad	N/A	PSP18 Single Hybrid Crib Pad

<b>Product Photo</b>		
<b>Lanyard Color</b>	 Light Load	Light Load—No Lanyard
<b>Part #</b>	SC-1 / SC-2	3B, 2B, 1B
<b>Product Name</b>	Standard Step Chock / Medium Step Chock	Turtle Lock Block
<b>WLL (kg)</b>	2,600 / 4,400	31,000
<b>WLL (lbs)</b>	5,732 / 9,700	68,343
<b>Strength (PSI)</b>	865 / 865	865
<b>Use With</b>	N/A	N/A

**IMPORTANT! Only crib with dura crib brand products.**

- To reduce the risk of point source failure, it is recommended that you use a protection pad with your crib stack (see page 33 for more information).
- Always refer to the vehicle's or equipment's manufacturer's guide for proper cribbing instructions.
- All dura crib products are to be used horizontally, *never* vertically.



*Always avoid point source load with any product.*

## Turtle Plastics Limited Warranty On dura crib and dura stat

1. Turtle Plastics (hereinafter "Company") warrants to the original purchaser at retail of its Products (hereinafter "Product") that:
  - A. For five (5) years from the date of the original purchase at retail, Company will provide a replacement Product for any Product that breaks for any reason other than obvious abuse or damage due to misapplication or improper installation.
  - B. For ten (10) years from the date of the original purchase at retail, Company will provide a replacement on any Product that is sagging for any reason other than damage due to misapplication or improper installation.
  - C. For fifty (50) years from the date of the original purchase at retail, Company will provide a replacement Product for any Product that becomes defective as a result of rot, termite infestation or corrosion.
  - D. A Product shall be deemed broken or defective when it lacks the capacity to perform the primary function for which it was manufactured.
2. TO OBTAIN PERFORMANCE UNDER THIS WARRANTY, the original purchaser at retail must return the broken or defective Product to Company postage paid, with a copy of the invoice documenting the date of purchase. Any Product returned for replacement under this warranty must be clearly marked with a "warranty return authorization code", which the original purchaser at retail may obtain from Company. Company will ship a replacement Product to the original purchaser at retail, postage due, within ten (10) days of receiving the broken or defective Product. Company reserves the right to challenge any warranty claim for failures resulting from obvious abuse or damage due to misapplication or improper installation.
3. ANY EXPRESS WARRANTY NOT PROVIDED HEREIN, AND ANY REMEDY FOR BREACH OF CONTRACT WHICH BUT FOR THIS PROVISION MIGHT ARISE BY IMPLICATION OF OPERATION OF LAW, IS HEREBY EXCLUDED AND DISCLAIMED. THIS SALE IS MADE ON THE EXPRESS UNDERSTANDING THAT THERE IS NO IMPLIED WARRANTY THAT ANY PRODUCT SHALL BE FIT FOR ANY PARTICULAR PURPOSE OR AN IMPLIED WARRANTY THAT ANY GOODS SHALL BE MERCHANTABILITY. THE ORIGINAL PURCHASER AT RETAIL ACKNOWLEDGES THAT SAID PURCHASER IS NOT RELYING ON COMPANY'S SKILL AND JUDGEMENT TO SELECT OR FURNISH GOODS SUITABLE FOR ANY PARTICULAR USE.
4. UNDER NO CIRCUMSTANCES SHALL COMPANY BE LIABLE TO THE ORIGINAL PURCHASER AT RETAIL OR ANY OTHER PERSON FOR ANY SPECIAL OR CONSEQUENTIAL DAMAGES, WHETHER ARISING OUT OF BREACH OF WARRANTY, BREACH OF CONTRACT, OR OTHERWISE. COMPANY SHALL IN NO EVENT BE LIABLE FOR ANY BREACH OF WARRANTY IN AN AMOUNT EXCEEDING THE PURCHASE PRICE OF ANY PRODUCT.
5. COMPANY SHALL IN NO EVENT BE BOUND BY ANY STATEMENT OR REPRESENTATION AS TO THE QUALITY OR PERFORMANCE OF ANY PRODUCT, OTHER THAN AS CONTAINED IN THIS WARRANTY. Turtle Plastics® DOES NOT GUARANTEE THE ACCURACY OR COMPLETENESS OF ANY INFORMATION CONTAINED HEREIN AND IT IS THE CUSTOMER'S RESPONSIBILITY TO CONDUCT ITS OWN DETERMINATION REGARDING THE SUITABILITY OF SPECIFIC PRODUCTS FOR ANY GIVEN APPLICATION.
6. ANY ALTERATION OF THE ORIGINAL MANUFACTURER'S PRODUCT THAT IMPACTS PERFORMANCE OF THE PRODUCT OR ALTERS ORIGINAL QUALITY AND WORKMANSHIP OF THE PRODUCT WILL VOID THE WARRANTY.

## Turtle Plastics Limited Warranty on Tile Products:

- ½" and ¾" Turtle Tile - 1212 (black and color)
- ¾" Super Soft Turtle Tile - 1212SS (black and color)
- ¾" Ultra Soft Turtle Tile - 1212US (black)
- ¾" Solid Surface Turtle Tile - 1212S (black and color)
- ¾" Solid Super Soft Turtle Tile - 1212-S-SS (black and color)
- Ramps - AM/AF

### A. WARRANTY DETAILS:

The materials and workmanship used in the construction of the Turtle Tile products above are backed by a five- year warranty under normal work place conditions.

If the purchaser discovers a defect in the materials or workmanship of a Turtle Tile modular tile, Turtle Plastics will, at its own discretion, either:

- i) repair the nonconforming product,
- ii) replace the product with the same or substantially similar product, or
- iii) reimburse the buyer for the purchase price of the nonconforming product based on the expected useful life of the product.

Turtle Plastics reserves the right to inspect the non-conforming tile(s) before repairing, replacing or reimbursing the buyer. Therefore, at the preference of Turtle Plastics, the tile(s) must be returned or available for on-site inspection. Modifying, coating or installing the tile(s) may void the warranty. The decision to void this warranty will be made at the sole discretion of Turtle Plastics. To the maximum extent permitted by law, Turtle Plastics' liability shall not exceed the purchase price of the product; Turtle Plastics shall not be liable for any incidental, consequential, special, and indirect or punitive damages (including without limitation, damages from lost business, profits or goodwill).

**THE USER MUST BE FAMILIAR WITH THE U.S. ARMY CORP OF ENGINEERS GUIDE AND ONLY THE END USER CAN DETERMINE LOAD CAPACITY. ANY BENDING, DEFLECTION, SAGGING, BULGING OR DEFORMITY WILL NECESSITATE ADDITIONAL CRIBS.** As the use of our products under user's conditions are beyond our control, no warranty, expressed or implied, including but not limited to, merchantability or fitness for a particular use, is made concerning our products. **DISCLAIMER:** Under no circumstances shall company be liable to the original purchaser at retail or any other person for any special or consequential damages, whether arising out of breach of warranty, breach of contract, or otherwise. Company shall in no event be liable for any breach of warranty in an amount exceeding the purchase price of any product, nor will company be bound by any statement or representation to the quality or performance of any product.

Are you still using that old wood to stabilize your equipment?

**"no wood"  
safety zone**

We have the solution.



**turtle plastics®**

*tomorrow re:imagined*

*distributed by:*

7400 Industrial Parkway Drive  
Lorain, OH 44053  
(440) 282-8008  
1 (800) 756-6635  
1 (800) 437-1603 (fax)

[turtleplastics.com](http://turtleplastics.com)  
[orders@turtleplastics.com](mailto:orders@turtleplastics.com)

ALL TURTLE PLASTICS® PRODUCTS  
**MADE IN USA** ★

©2019 Turtle Plastics. All rights reserved. | January 2019 | fire safety products 7.1