



Hose Bridge System

Missile to POD



Schlumberger Private

Pathway between the missile and the POD is traveled frequently during Frac Operations.

Hoses laying around unorganized create tripping hazards and also makes for an unorganized location.



Hose Bridge



Schlumberger Private



Work**SMART**
Recognize—Respond

Schlumberger

Hose Bridge Cont..



Schlumberger Private

Hose bridge systems in place creates an organized layout of hoses.

Client and crew feedback has been positive.

Eliminates tripping hazards by providing a better means of travel over hoses instead of stepping on them or tripping over them.



Schlumberger


Cost Breakdown



Cost of each system which can provide a bridge for up to 8, 4" hoses is \$1979.00 not including freight.

Durability has not been an issue. Have had these bridges in the field for 3 months.

Average cost of an OSHA Recordable is 12K dollars. If we can eliminate one trip hazard by implementing this system on locations, our investment will pay for itself.



Ordering Information



Schlumberger Private

ORDERING INFORMATION



SUPER HOSE BRIDGE accepts up to 6" & 8" I.D. HOSE (O.D. 10 1/4")
(Super Hose Bridge is to be used for trucks only)

DIMENSIONS: Length 126", Width 24 1/2", Hgt. 12 1/4", Wt. Per Set (6 PCS.): 500 lbs.

STANDARD HOSE BRIDGE Six Openings: Two 6", Two 4", Two 3"

DIMENSIONS: Length 70", Width 24 1/2", Hgt. 6 1/4", Wt. Per Set (4 PCS.): 208 lbs., Wt. Ea. Piece: 52 lbs.

HOSE BRIDGES

PART NO.	DESCRIPTION	WGT. EA.	DIMENSIONS
HBS	Hose Bridge Set (4 pcs)	208	Length 70", Width 24 1/2", Hgt. 6 1/4", Wt. Per Set (4 PCS.): 208 lbs., Wt. Ea. Piece: 52 lbs.
HBS68	Super Hose Bridge (6 pcs)	500	Length 126", Width 24 1/2", Hgt. 12 1/4", Wt. Per Set (6 PCS.): 500 lbs.
WS68S	Grit Top Wt. Walking Surface for HBS	13	
WSHBS68	Grit Top Wt. Walking Surface for HBS	24	
HJ	Hose Bridge Joiner	2	

CURB RAMPS

PART NO.	DESCRIPTION
CR	3' Length, 2' Width, 6 1/2" Hgt. Walking Surface
CR-R	Railing One Side
CR-R2	Railing Two Sides

PEDESTRIAN BRIDGE RAILINGS

PART NO.	DESCRIPTION
PR-1	Railing One Side
PR-12	Railing Two Sides

Add **PCY** for
Powder Coated Yellow

Add **AL** for
Brushed Aluminum



7400 Industrial Parkway • Lorain, Ohio 44053
440/282-8008 Ext. 209 • Fax 800/437-1603 or 440/282-8822
www.turtleplastics.com • E-mail: ttreinfo@turtleplastics.com


TPHJ_20K0286_0407

Work**SMART**
Recognize—Respond

Create a pedestrian bridge anywhere.



One person can carry and assemble!



Open-weave grit top for
dry, slip-free footing!
Available with one or two
railings, powder-coated
safety yellow or brushed
aluminum.



Schlumberger